REGIONAL STREAM SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, BRITISH COLUMBIA 1977. GSC-OF 516, NGR 27-1977, NTS 82M

PAGE SURVEY NOTES 1 DATA LIST 6

SUMMARY STATISTICS 34

OPEN FILE 516 IS ONE OF THREE OPEN FILES (514, 515 AND 516) COVERING THE TOTAL SOUTHEASTERN BRITISH COLUMBIA SURVEY AREA.

THE RECONNAISSANCE SURVEY WAS UNDERTAKEN BY THE GEOLOGICAL SURVEY OF CANADA IN CONJUNCTION WITH THE BRITISH COLUMBIA DEPARTMENT OF MINES AND PETROLEUM RESOURCES UNDER THE TERMS OF THE CANADA-BRITISH COLUMBIA AGREEMENT ON A URANIUM RECONNAISSANCE PROGRAM. FISHERIES AND ENVIRONMENT CANADA PROVIDED FUNDS FOR THE DETERMINATION OF MERCURY.

E.H.W. HORNBROOK DIRECTED GEOLOGICAL SURVEY OF CANADA ACTIVITIES. CONTRACTS LET FOR SAMPLE COLLECTION, PREPARATION AND ANALYSIS WERE SUPERVISED AND/OR MONITORED BY STAFF OF THE GEOCHEMISTRY SECTION AS FOLLOWS:

COLLECTION	- STAFF AND EQUIPMENT PROVIDED BY STOKES EXPLORATIN MANAGEMENT				
	COMPANY, VANCOUVER.				
	VIKING HELICOPTERS LIMITED.				
	- S.B. BALLANTYNE, T.E. KALNINS(B.C.D.M.P.R).				
PREPARATION	- GOLDER ASSOCIATES, OTTAWA.				

- J.J. LYNCH

ANALYTICAL - CHEMEX LABS. LIMITED, VANCOUVER. - ATOMIC ENERGY OF CANADA LIMITED, OTTAWA. - J.J. LYNCH

AT THE GEOLOGICAL SURVEY OF CANADA, N.G. LUND WAS RESPONSIBLE FOR OPEN FILE PRODUCTION AND DATA MANAGEMENT AND WAS SUPPORTED BY F. WILLIAMS OF THE CARTOGRAPHIC SECTION WHO SUPERVISED MAP PREPARATION. DIRECT PHOTO-HEAD PLOTTING FACILITIES WERE MADE AVAILABLE BY THE MAP PRODUCTION DIRECTORATE, SURVEYS AND MAPPING BRANCH, E.M.R.

PROVINCIAL LIASON WAS WITH N.C. CARTER, BRITISH COLUMBIA DEPARTMENT OF MINES AND PETROLEUM RESOURCES.

STREAM SEDIMENT AND WATER SAMPLES WERE COLLECTED AT AN AVERAGE DENSITY OF ONE SAMPLE PER 13 SQUARE KILOMETRES (5 SQUARE MILES) THROUGHOUT THE 37,700 SQUARE KILOMETRE (14,600 SQUARE MILE) TOTAL SOUTHEASTERN BRITISH COLUMBIA SURVEY AREA. THE MAJOR PART OF THE HELICOPTER AND 4-WHEEL DRIVE TRUCK SUPPORTED SAMPLE COLLECTION WAS CARRIED OUT DURING THE SUMMER OF 1976. PART OF 82M WAS SAMPLED BY HELICOPTER IN 1977.

SAMPLE SITE DUPLICATE SAMPLES WERE ROUTINELY COLLECTED IN EACH ANALYTICAL BLOCK OF TWENTY SAMPLES.

IN OTTAWA, FIELD DRIED SAMPLES WERE AIR-DRIED AND THE MINUS 80 MESH (177 MICRONS) FRACTION WAS OBTAINED AND THEN BALL MILLED FOR SUBSEQUENT ANALYSES AS REQUIRED, AT THIS TIME, CONTROL REFERENCE AND BLIND DUPLICATE SAMPLE

POSITIONS IN EACH ANALYTICAL BLOCK OF TWENTY SEDIMENT SAMPLES WERE FILLED. THE CONTROL REFERENCE AND BLIND DUPLICATE SAMPLE POSITIONS IN EACH ANALYTICAL BLOCK OF TWENTY WATER SAMPLES WERE FILLED IN BRITISH COLUMBIA AT THE BASE CAMP.

THE DETERMINATION OF ZN, CU, PB, NI, CO, AG, MN, FE, MO AND HG IN STREAM SEDIMENTS WAS CARRIED OUT BY CHEMEX LABS LIMITED.

THE DETERMINATION OF U IN STREAM SEDIMENTS WAS CARRIED OUT BY ATOMIC ENERGY OF CANADA LIMITED.

THE DETERMINATION OF U, F AND PH IN STREAM WATERS WAS CARRIED OUT BY CHEMEX LABS LIMITED UNDER THE TERMS OF A SECOND CONTRACT.

FOR THE DETERMINATION OF ZN, CU, PB, NI, CO, AG, MN AND FE, A 1 GRAM SAMPLE WAS REACTED WITH 3 ML OF CONCENTRATED HNO3 IN A TEST-TUBE FOR 30 MINUTES AT 90C. AT THIS POINT, 1 ML CONCENTRATED HCL WAS ADDED AND THE DIGESTION WAS CONTINUED AT 90C FOR AN ADDITIONAL 90 MINUTES. THE SAMPLE SOLUTION WAS THEN DILUTED TO 20 ML WITH METAL FREE WATER AND MIXED. ZN, CU, PB, NI, CO, AG, MN AND FE WERE DETERMINED BY ATOMIC ABSORTION SPECTROSCOPY USING AN AIR-ACETYLENE FLAME. BACKGROUND CORRECTIONS WERE MADE FOR PB, NI, CO AND AG.

MOLYBDENUM WAS DETERMINED BY ATOMIC ABSORTION SPECTROSCOPY USING A NITROUS OXIDE-ACETYLENE FLAME. A 0.5 GRAM SAMPLE WAS REACTED WITH 1.5 ML CONCENTRATED HNO3 AT 90C FOR 30 MINUTES. AT THIS POINT 0.5 ML CONCENTRATED HCL WAS ADDED AND THE DIGESTION WAS CONTINUED AT 90C FOR AN ADDITIONAL 90 MINUTES. AFTER COOLING, 8 ML OF 1250 PPM AL SOLUTION WERE ADDED AND THE SAMPLE SOLUTION WAS DILUTED TO 10 ML BEFORE ASPIRATION.

MERCURY WAS DETERMINED BY THE HATCH AND OTT PROCEDURE WITH SOME MODIFICATIONS. THE METHOD IS DESCRIBED BY JONASSON ET AL. (1973). A 0.5 GRAM SAMPLE WAS REACTED WITH 20 ML CONCENTRATED HNO3 AND 1 ML CONCENTRATED HCL IN A TEST-TUBE FOR 10 MINUTES AT ROOM TEMPERATURE PRIOR TO 2 HOURS OF DIGESTION WITH MIXING AT 90C IN A HOT WATER BATH. AFTER DIGESTION, THE SAMPLE SOLUTIONS WERE COOLED AND DILUTED TO 100 ML WITH METAL FREE WATER. THE HG PRESENT WAS REDUCED TO THE ELEMENTAL STATE BY THE ADDITION OF 10 ML W/V SNSO4 IN M H2SO4 THE HG VAPOUR WAS THEN FLUSHED BY A STREAM OF AIR INTO AN ABSORTION CELL MOUNTED IN THE LIGHT PATH OF AN ATOMIC ABSORTION SPECTROPHOTOMETER. ABSORTION MEASUREMENTS WERE MADE AT 253.7 NM.

URANIUM WAS DETERMINED USING A NEUTRON ACTIVATION METHOD WITH DELAYED NEUTRON COUNTING.

A DETAILED DESCRIPTION OF THE METHOD IS PROVIDED BY BOULANGER ET AL. (1975). IN BRIEF, A 1 GRAM SAMPLE IS WEIGHED INTO A 7 DRAM POLYETHYLENE VIAL, CAPPED AND SEALED.

THE IRRADIATION IS PROVIDED BY THE SLOWPOKE REACTOR WITH AN OPERATING FLUX OF 10**12 NEUTRONS/SQ. CM./SEC.

THE SAMPLES ARE PNEUMATICALLY TRANSFERRED FROM AN AUTOMATIC LOADER TO THE REACTOR, WHERE EACH SAMPLE IS IRRADIATED FOR 60 SECONDS.

AFTER IRRADIATION, THE SAMPLE IS AGAIN TRANSFERRED PNEUMATICALLY TO THE COUNTING FACILITY WHERE AFTER A 10 SECOND DELAY THE SAMPLE IS COUNTED FOR 60 SECONDS WITH SIX BF3 DETECTOR TUBES EMBEDDED IN PARRAFIN.

FOLLOWING COUNTING, THE SAMPLES ARE AUTOMATICALLY EJECTED INTO A SHIELDED STORAGE CONTAINER.

CALIBRATION IS CARRIED OUT TWICE A DAY AS A MINIMUM USING NATURAL MATERIALS OF KNOWN URANIUM CONCENTRATION.

URANIUM WAS DETERMINED IN THE WATER SAMPLES BY A FLUOROMETRIC METHOD. THE URANIUM WAS INITIALLY PRECONCENTRATED BY EVAPORATION. THE RESIDUE AFTER EVAPORATION WAS FUSED WITH A MIXTURE OF NA2CO3, K2CO3 AND NAF IN A PLATINUM DISH, AFTER COOLING THE FLOURESCENCE OF THE FUSED PELLET WAS MEASURED USING A TURNER FLUOROMETER MODEL 111.

FLUORIDE IN STREAM WATER SAMPLES WAS DETERMINED USING A SPECIFIC ION ELECTRODE. AN ALIQUOT OF THE SAMPLE WAS MIXED WITH AN EQUAL VOLUME OF A TISAB SOLUTION (TOTAL IONIC STRENTH ADJUSTMENT BUFFER). THE FLUORIDE WAS MEASURED USING A CORNING 101 ELECTROMETER WITH AN ORION FLUORIDE ELECTRODE.

FOR THE DETERMINATION OF PH AN ALIQUOT OF THE WATER SAMPLE WAS TRANSFERRED TO A CLEAN DRY BEAKER. THE PH WAS MEASURED USING A FISHER ACCUMET PH METER.

ON RECEIPT, FIELD AND ANALYTICAL DATA WERE PUNCHED ONTO 80 COLUMN CARDS AND ALL SUBSEQUENT PROCESSING WAS CARRIED OUT WITH THE AID OF COMPUTERS. THE FIELD DATA WERE RECORDED BY THE FIELD CONTRACT STAFF ONTO STANDARD GEOCHEMICAL STREAM WATER AND SEDIMENT SAMPLE FIELD CARDS (REV. 77) USED BY THE GEOLOGICAL SURVEY OF CANADA. THE SAMPLE SITE POSITIONS WERE MARKED ON APPROPRIATE 1/250,000 SCALE NTS MAPS IN THE FIELD. THESE MAPS WERE DIGITIZED AT THE GEOLOGICAL SURVEY IN OTTAWA TO OBTAIN THE SAMPLE SITE UTM COORDINATES. THE DOMINANT ROCK TYPES IN THE STREAM CATCHMENT BASINS WERE IDENTIFIED ON A GEOLOGICAL MAP WITH A MODIFIED LEGEND COMPILED BY T.E. KALNINS AND S.B. BALLANTYNE FOR THE NGR GEOCHEMICAL MAPS. GEOLOGICAL SOURCES ARE GIVEN IN THE REFERENCES.

THE ANALYTICAL DATA WERE RECORDED AS FOLLOWS (SEE GARRETT, 1974, FOR DETAILS) AND FOR CONVENIENCE THE DETECTION LIMITS OF THE ANALYTICAL METHODS USED ARE ALSO GIVEN-

ELEMENT	ANAL. CARD	COLUMNS	DETECTION	I LIMIT		
SEDIMENT						
ZN	1	21-25	2	1		
CU	1	26-30	2	1		
PB	1	31-35	2	1		
NI	1	36-40	2	1		
CO	1	41-45	2	1		
AG	1	46-50	0.2	0.1		
MN	1	51-55	5	2		
FE %	1	56-60	0.02	0.01		
MO	1	66-70	2	1		
HG PPB	1	76-79	10	5		
U	2	21-25	0.2	0.1		
WATER						
U PPB	3	21-25	0.05	0.02		
F PPB	3	26-30	20	10		

UNLESS OTHERWISE NOTED THE UNITS OF MEASUREMENT FOR THE ANALYSES ARE PPM. THE SECOND FIGURE UNDER DETECTION LIMIT IS THE FIGURE TO WHICH VALUES WERE ARBITRARILY SET IF THEY FELL BELOW THE DETECTION LIMIT.

GENERAL INSPECTIONS OF THE FIELD AND ANALYTICAL DATA WERE MADE TO CHECK FOR ANY MISSING INFORMATION AND/OR GROSS ERRORS. THE SAMPLE SITE COORDINATES WERE CHECKED BY PLOTTING SAMPLING LOCATION MAPS ON A FLAT-BED PLOTTER FROM THE DIGITIZED COORDINATES AND THEN OVERLAYING THESE OVER THE FIELD CONTRACTOR'S SAMPLE LOCATION BASE MAPS.

QUALITY CONTROL AND MONITORING OF THE GEOLOGICAL DATA WAS UNDERTAKEN BY A STANDARD METHOD USED BY THE GEOCHEMISTRY SECTION AT THE GEOLOGICAL SURVEY OF CANADA.

REFERENCES

BOULANGER, A., EVANS, D.J.R. AND RABY, B.F. (1975) URANIUM ANALYSIS BY NEUTRON ACTIVATION DELAYED NEUTRON COUNTING: PROC. OF THE 7TH ANNUAL SYMP. OF CANADIAN MINERAL ANALYSTS. THUNDER BAY, ONTARIO, SEPT. 22-23, 1975.

CAMPBELL, R.B. (1964) ADAMS LAKE, BRITISH COLUMBIA; GEOL. SURV. CAN. MAP 48-1963.

JONASSON, I.R., LYNCH, J.J. AND TRIP, L.J. (1973) FIELD AND LABORATORY METHODS USED BY THE GEOLOGICAL SURVEY OF CANADA IN GEOCHEMICAL SURVEYS: NO. 12, MERCURY IN ORES, ROCKS, SOILS, SEDIMENTS AND WATER: GEOL. SURV. CAN. PAPER 73-21.

WHEELER, J.O. (1965) BIG BEND MAP-AREA, BRITISH COLUMBIA; GEOL. SURV. CAN. PAPER 64-32, MAP 12-1964.

DATA LIST LEGEND

- MAP-NATIONAL TOPOGRAPHIC SYSTEM(NTS) - LETTERED QUADRANGLE (SCALE 1:250000). PART OF SAMPLE NUMBER SAMPLE-REMAINDER OF SAMPLE NUMBER- YEAR(2), FIELD CREW(1), SAMPLE SEQUENCE NUMBER(3) UTM COORDINATES-UNIVERSAL TRANSVERSE MERCATOR (UTM) COORDINATE SYSTEM- SAMPLE COORDINATES ZN-ZONE EAST-EASTING (METERS) NORTH-NORTHING (METERS) ROCK TYPE-MAJOR ROCK TYPE OF CATCHMENT AREA WD-WIDTH OF STREAM (FEET) AT THE SAMPLE SITE DT-DEPTH OF STREAM SAMPLED TO NEAREST TENTH OF FOOT SAMP-TYPE OF MATERIAL SAMPLED RP ST-REPLICATE STATUS- RELATIONSHIP OF SAMPLE WITH RESPECT TO OTHERS WITHIN THE SURVEY CONT-CONTAMINATION BANK TYPE BANK-WCOL-WATER COLOUR AND SUSPENDED LOAD RATE-WATER FLOW RATE * SCOL-PREDOMINANT SEDIMENT COLOUR
 - SMP CMP-SAMPLE COMPOSITION- BULK MECHANICAL COMPOSITION OF SAND, FINES, ORGANICS RESPECTIVELY
 - PRPS-PRECIPITATE OR STAIN ON SEDIMENTS AT SAMPLE SITE
 - * PRPB-DISTINCTIVE PRECIPITATE, STAIN, WEATHERING, BLOOMS ON ROCKS IN THE IMMEDIATE CATCHMENT AREA
 - * PHYS-GENERAL PHSYIOGRAPHY
 - * PATT-DRAINAGE PATTERN
 - * TYPE-STREAM TYPE
 - * CLSS-STREAM CLASS
 - * SRCE-SOURCE OF WATER
- * THIS FIELD OBSERVATION WAS RECORDED FOR THE 1977 SURVEY ONLY

DATA LIST LEGEND (CONT'D)

ROCK TYPE:	TILL- TILL OLVB- OLIVINE BASALT GRNT- GRANITE UMFC- ULTRAMAFIC	SCOL:	1- RED, BROWN 2- WHITE, BUFF 6- GREY, BLUE-GREY
	QRTZ- QUARTZITE GNSS- GNEISS SCST- SCHIST	SMP CMP:	0- ABSENT 1- MINOR <33% 2- MEDIUM 33-67% 3- MAJOR >67%
SAMP:	 STREAM BED SEDIMENT SIMULTANEOUS STREAM WATER AND SEDIMENT 	PRPS: PRPB:	0- NONE 1- RED, BROWN 0- FEATURELESS
RP ST:	00- ROUTINE REGIONAL SAMPLE 10- FIRST OF FIELD DUPLICATE 20- SECOND OF FIELD DUPLICATE		1- RED, BROWN 2- WHITE, BUFF
CONT:	0- NONE 1- POSSIBLE 2- PROBABLE	PHYS:	2- PENEPLAIN, PLATEAU 4- MOUNTAINOUS MATURE 5- MOUNTAINOUS YOUTHFUL
BANK:	3- DEFINITE 1- ALLUVIAL	PATT:	0- POORLY DEFINED, HAPHAZARD 1- DENDRITIC 2- HERRING BONE
	2- COLLUVIAL 3- GLACIAL TILL, TILLITE 5- BARE ROCK	TYPE:	 5- DISCONTINUOUS SHIELD TYPE (CHAINS OF LAKES, SWAMPS) 1 DEDMANENT CONTINUOUS
	6- TALUS, SCREE 7- ORGANIC PREDOMINANT	CLSS:	 PERMANENT, CONTINUOUS UNDEFINED
WCOL:	0- CLEAR 1- BROWN TRANSPARENT 2- WHITE CLOUDY 3- BROWN CLOUDY		2- SECONDARY 3- TERTIARY 4- QUATERNARY
RATE:	0- ZERO 1- SLOW 2- MODERATE 3- FAST	SRCE:	 1- GROUNDWATER 4- ICE-CAP OR GLACIER MELT WATER

4- TORRENTIAL

PAGE 7

 \star this element was analysed for the 1977 survey only

NI- NICKEL BY ATOMIC ABSORPTION SPECTROSCOPY (PPM) CO-COBALT BY ATOMIC ABSORPTION SPECTROSCOPY (PPM) AG-SILVER BY ATOMIC ABSORPTION SPECTROSCOPY (PPM) MN-MANGANESE BY ATOMIC ABSORPTION SPECTROSCOPY (PPM) FE-IRON BY ATOMIC ABSORPTION SPECTROSCOPY (PCT) MO-MOLYBDENUM BY ATOMIC ABSORPTION SPECTROSCOPY (PPM) * HG-MERCURY BY FLAMELESS SPECTROSCOPY (PPB) U-URANIUM BY DELAYED NEUTRON ACTIVATION (PPM) U-W-URANIUM IN WATERS FLUOROMETRICALLY (PPB) F-W- FLUORINE IN WATERS BY SPECIFIC ION ELECTRODE (PPB) PH- PH BY COMBINATION GLASS - CALOMEL ELECTRODE

ZN- ZINC BY ATOMIC ABSORPTION SPECTROSCOPY (PPM)

PB- LEAD BY ATOMIC ABSORPTION SPECTROSCOPY (PPM)

COPPER BY ATOMIC ABSORPTION SPECTROSCOPY (PPM)

CU-