



Contwoyto Lake Detailed Grids
Geochemistry of <0.063 mm Fraction.


AMWOOD




SB-1




P-1




CTL



Till DUNE Sd/Sg



OP



Contwoyto Lake Detailed Grids - Arsenic
 Geochemistry of <0.063 mm Till Fraction* - NAA analysis

AMWOOD






SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	1.39	4.70	32	25.8
•	4.70	5.60	27	47.6
•	5.60	7.40	41	80.6
•	7.40	8.80	5	84.7
•	8.80	10.00	2	86.3
•	10.00	11.00	2	87.9
•	11.00	13.00	1	88.7
•	13.00	103.00	14	100

SB-1

SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	1.50	4.70	13	19.4
•	4.70	5.60	4	25.4
•	5.60	7.40	13	44.8
•	7.40	8.80	6	53.7
•	8.80	10.00	3	58.2
•	10.00	11.00	2	61.2
•	11.00	13.00	10	76.1
•	13.00	31.00	16	100


P-1

SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	2.09	4.70	21	26.2
•	4.70	5.60	15	45
•	5.60	7.40	27	78.8
•	7.40	8.80	9	90
•	8.80	10.00	8	100
•	10.00	11.00	0	100
•	11.00	13.00	0	100
•	13.00	29.00	0	100



CTL

SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	3.09	4.70	3	6.1
•	4.70	5.60	6	18.4
•	5.60	7.40	12	42.9
•	7.40	8.80	2	46.9
•	8.80	10.00	8	63.3
•	10.00	11.00	2	67.3
•	11.00	13.00	7	81.6
•	13.00	31.00	9	100





DUNE

SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	0.89	4.70	7	7.4
•	4.70	5.60	7	14.7
•	5.60	7.40	8	23.2
•	7.40	8.80	13	36.8
•	8.80	10.00	9	46.3
•	10.00	11.00	4	50.5
•	11.00	13.00	7	57.9
•	13.00	115.00	40	100


SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	1.10	4.70	7	15.6
•	4.70	5.60	4	24.4
•	5.60	7.40	22	73.3
•	7.40	8.80	9	93.3
•	8.80	10.00	1	95.6
•	10.00	11.00	1	97.8
•	11.00	13.00	1	100
•	13.00	29.00	0	100

Sd\Sg fraction*



OP

SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	4.00	4.70	1	.8
•	4.70	5.60	0	.8
•	5.60	7.40	7	6.7
•	7.40	8.80	14	18.3
•	8.80	10.00	9	25.8
•	10.00	11.00	8	32.5
•	11.00	13.00	17	46.7
•	13.00	425.00	64	100



Contwoyto Lake Detailed Grids - Gold

Geochemistry of <0.063 mm Till Fraction* - NAA analysis

AMWOOD





SIZE	RANGE (ppb)		OBS.	%TILE
	LOW	HIGH		
1	3	28	22.6	
3	4	24	41.9	
4	5	27	63.7	
5	10	40	96	
10	15	3	98.4	
15	21	1	99.2	
21	30	1	100	
30	38	0	100	

SB-1

SIZE	RANGE (ppb)		OBS.	%TILE
	LOW	HIGH		
1	3	17	25.4	
3	4	13	44.8	
4	5	7	55.2	
5	10	20	85.1	
10	15	2	88.1	
15	21	4	94	
21	30	1	95.5	
30	39	3	100	

P-1

SIZE	RANGE (ppb)		OBS.	%TILE
	LOW	HIGH		
1	3	29	36.2	
3	4	16	56.2	
4	5	17	77.5	
5	10	11	91.2	
10	15	3	95	
15	21	3	98.8	
21	30	0	98.8	
30	45	1	100	



CTL

SIZE	RANGE (ppb)		OBS.	%TILE
	LOW	HIGH		
1	3	14	28.6	
3	4	8	44.9	
4	5	11	67.3	
5	10	13	93.9	
10	15	2	98	
15	21	0	98	
21	30	1	100	
30	38	0	100	



DUNE

SIZE	RANGE (ppb)		OBS.	%TILE
	LOW	HIGH		
1	3	20	21.1	
3	4	5	26.3	
4	5	8	34.7	
5	10	23	58.9	
10	15	11	70.5	
15	21	6	76.8	
21	30	7	84.2	
30	190	15	100	





SIZE	RANGE (ppb)		OBS.	%TILE
	LOW	HIGH		
1	3	10	22.2	
3	4	9	42.2	
4	5	4	51.1	
5	10	20	95.6	
10	15	2	100	
15	21	0	100	
21	30	0	100	
30	38	0	100	

OP

SIZE	RANGE (ppb)		OBS.	%TILE
	LOW	HIGH		
1	3	58	48.3	
3	4	17	62.5	
4	5	15	75	
5	10	23	94.2	
10	15	4	97.5	
15	21	2	99.2	
21	30	0	99.2	
30	50	1	100	



Sd\Sg fraction*



Contwoyto Lake Detailed Grids - Bromine
 Geochemistry of <0.063 mm Till Fraction* - NAA analysis

AMWOOD


SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	1.20	3.00	29	23.4
•	3.00	4.30	32	49.2
•	4.30	6.30	45	85.5
•	6.30	6.80	6	90.3
•	6.80	7.10	2	91.9
•	7.10	8.00	7	97.6
•	8.00	12.00	3	100

SB-1

SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	0.25	3.00	43	64.2
•	3.00	4.30	10	79.1
•	4.30	6.30	7	89.6
•	6.30	6.80	5	97
•	6.80	7.10	1	98.5
•	7.10	8.00	1	100
•	8.00	7.41	0	100

P-1

SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	0.25	3.00	44	55
•	3.00	4.30	19	78.8
•	4.30	6.30	13	95
•	6.30	6.80	1	96.2
•	6.80	7.10	1	97.5
•	7.10	8.00	0	97.5
•	8.00	9.00	2	100



CTL

SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	0.80	3.00	18	36.7
•	3.00	4.30	16	69.4
•	4.30	6.30	13	95.9
•	6.30	6.80	2	100
•	6.80	7.10	0	100
•	7.10	8.00	0	100
•	8.00	12.00	0	100

DUNE




SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	0.25	3.00	21	22.1
•	3.00	4.30	21	44.2
•	4.30	6.30	24	69.5
•	6.30	6.80	4	73.7
•	6.80	7.10	5	78.9
•	7.10	8.00	7	86.3
•	8.00	14.00	13	100

DUNE

SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	0.89	3.00	34	75.6
•	3.00	4.30	7	91.1
•	4.30	6.30	4	100
•	6.30	6.80	0	100
•	6.80	7.10	0	100
•	7.10	8.00	0	100
•	8.00	12.00	0	100

OP

SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	1.39	3.00	15	12.5
•	3.00	4.30	30	37.5
•	4.30	6.30	48	77.5
•	6.30	6.80	4	80.8
•	6.80	7.10	5	85
•	7.10	8.00	8	91.7
•	8.00	16.00	10	100



SdSg fraction*





Contwoyto Lake Detailed Grids - Cerium

Geochemistry of <0.063 mm Till Fraction* - NAA analysis



AMWOOD

SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	42	59	50	40.3
•	59	64	9	47.6
•	64	71	15	59.7
•	71	76	12	69.4
•	76	78	5	73.4
•	78	80	2	75
•	80	85	8	81.5
•	85	100	23	100





SB-1

SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	34	59	19	28.4
•	59	64	10	43.3
•	64	71	14	64.2
•	71	76	11	80.6
•	76	78	1	82.1
•	78	80	4	88.1
•	80	85	4	94
•	85	110	4	100





P-1

SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	55	59	5	6.2
•	59	64	9	17.5
•	64	71	18	40
•	71	76	9	51.2
•	76	78	5	57.5
•	78	80	3	61.2
•	80	85	9	72.5
•	85	130	22	100




CTL

SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	56	59	1	2
•	59	64	3	8.2
•	64	71	7	22.4
•	71	76	4	30.6
•	76	78	5	40.8
•	78	80	1	42.9
•	80	85	10	63.3
•	85	130	18	100




DUNE

SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	58	59	1	1.1
•	59	64	2	3.2
•	64	71	9	12.6
•	71	76	4	16.8
•	76	78	1	17.9
•	78	80	1	18.9
•	80	85	5	24.2
•	85	490	72	100





OP

SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	42	59	40	33.3
•	59	64	33	60.8
•	64	71	32	87.5
•	71	76	9	95
•	76	78	2	96.7
•	78	80	2	98.3
•	80	85	2	100
•	85	93	0	100



Sd\Sg fraction*



Contwoyto Lake Detailed Grids - Cobalt
 Geochemistry of <0.063 mm Till Fraction* - NAA analysis

AMWOOD




SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	2.5	5.0	46	37.1
•	5.0	6.0	19	52.4
•	6.0	8.0	43	87.1
•	8.0	9.0	11	96
•	9.0	10.0	2	97.6
•	10.0	11.0	3	100
•	11.0	13.0	0	100

SB-1

SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	2.5	5	2	3
•	5	6	2	6
•	6	8	13	25.4
•	8	9	4	31.3
•	9	10	6	40.3
•	10	11	10	55.2
•	11	68	30	100

P-1

SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	2.5	5	11	13.8
•	5	6	18	36.2
•	6	8	33	77.5
•	8	9	8	87.5
•	9	10	5	93.8
•	10	11	2	96.2
•	11	17	3	100



CTL

SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	2.5	5.0	3	6.1
•	5.0	6.0	6	18.4
•	6.0	8.0	22	63.3
•	8.0	9.0	6	75.5
•	9.0	10.0	7	89.8
•	10.0	11.0	3	95.9
•	11.0	14.0	2	100





DUNE

SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	2.5	5.0	23	24.2
•	5.0	6.0	14	38.9
•	6.0	8.0	29	69.5
•	8.0	9.0	10	80
•	9.0	10.0	11	91.6
•	10.0	11.0	1	92.6
•	11.0	26.0	7	100


SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	2.5	5.00	6	13.3
•	5.00	6.00	6	26.7
•	6.00	8.00	26	84.4
•	8.00	9.00	3	91.1
•	9.00	10.00	4	100
•	10.00	11.00	0	100
•	11.00	13.00	0	100

OP

SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	2.5	5	11	9.2
•	5	6	17	23.3
•	6	8	41	57.5
•	8	9	19	73.3
•	9	10	15	85.8
•	10	11	7	91.7
•	11	25	10	100





Sd\Sg fraction*



Contwoyto Lake Detailed Grids - Chromium
Geochemistry of <0.063 mm Till Fraction* - NAA analysis


AMWOOD

SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	38.0	49.0	29	23.4
•	49.0	57.0	36	52.4
•	57.0	65.0	37	82.3
•	65.0	76.0	22	100
•	76.0	80.0	0	100
•	80.0	83.0	0	100
•	83.0	85.0	0	100
•	85.0	98.0	0	100





SB-1

SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	33.0	49.0	0	0
•	49.0	57.0	5	7.5
•	57.0	65.0	3	11.9
•	65.0	76.0	9	25.4
•	76.0	80.0	4	31.3
•	80.0	83.0	0	31.3
•	83.0	85.0	2	34.3
•	85.0	1400	44	100




P-1

SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	33.0	49.0	20	25
•	49.0	57.0	27	58.8
•	57.0	65.0	19	82.5
•	65.0	76.0	8	92.5
•	76.0	80.0	2	95
•	80.0	83.0	0	95
•	83.0	85.0	1	96.2
•	85.0	100.0	3	100



CTL



SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	43.0	49.0	6	12.2
•	49.0	57.0	12	36.7
•	57.0	65.0	10	57.1
•	65.0	76.0	15	87.8
•	76.0	80.0	3	93.9
•	80.0	83.0	1	95.9
•	83.0	85.0	0	95.9
•	85.0	96.0	2	100



DUNE


SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	35.0	49.0	16	16.8
•	49.0	57.0	24	42.1
•	57.0	65.0	23	66.3
•	65.0	76.0	16	83.2
•	76.0	80.0	7	90.5
•	80.0	83.0	2	92.6
•	83.0	85.0	1	93.7
•	85.0	120.0	6	100

Sd\Sg fraction*



OP

SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	41.0	49.0	21	17.5
•	49.0	57.0	44	54.2
•	57.0	65.0	36	84.2
•	65.0	76.0	14	95.8
•	76.0	80.0	4	99.2
•	80.0	83.0	0	99.2
•	83.0	85.0	0	99.2
•	85.0	89.0	1	100



Contwoyto Lake Detailed Grids - Cesium
Geochemistry of <0.063 mm Till Fraction* - NAA analysis

AMWOOD




SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	1.50	1.70	21	16.9
•	1.70	2.10	48	55.6
•	2.10	2.40	37	85.5
•	2.40	2.70	13	96
•	2.70	3.00	5	100
•	3.00	3.30	0	100
•	3.30	3.50	0	100
•	3.50	6.40	0	100

SB-1

SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	1.60	1.70	5	7.5
•	1.70	2.10	15	29.9
•	2.10	2.40	11	46.3
•	2.40	2.70	9	59.7
•	2.70	3.00	3	64.2
•	3.00	3.30	4	70.1
•	3.30	3.50	4	76.1
•	3.50	11.00	16	100

P-1

SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	1.29	1.70	29	36.2
•	1.70	2.10	23	65
•	2.10	2.40	17	86.2
•	2.40	2.70	3	90
•	2.70	3.00	4	95
•	3.00	3.30	2	97.5
•	3.30	3.50	1	98.8
•	3.50	4.41	1	100






CTL

SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	1.29	1.70	3	6.1
•	1.70	2.10	10	26.5
•	2.10	2.40	15	57.1
•	2.40	2.70	13	83.7
•	2.70	3.00	6	95.9
•	3.00	3.30	2	100
•	3.30	3.50	0	100
•	3.50	6.40	0	100

SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	1.00	1.70	34	35.8
•	1.70	2.10	31	68.4
•	2.10	2.40	16	85.3
•	2.40	2.70	5	90.5
•	2.70	3.00	3	93.7
•	3.00	3.30	2	95.8
•	3.30	3.50	3	98.9
•	3.50	3.60	1	100

SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	1.5	1.7	6	13.3
•	1.7	2.1	16	48.9
•	2.1	2.4	16	84.4
•	2.4	2.7	7	100
•	2.7	3.0	0	100
•	3.0	3.3	0	100
•	3.3	3.5	0	100
•	3.5	6.4	0	100


SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	1.60	1.70	2	1.7
•	1.70	2.10	19	17.5
•	2.10	2.40	31	43.3
•	2.40	2.70	28	66.7
•	2.70	3.00	25	87.5
•	3.00	3.30	10	95.8
•	3.30	3.50	1	96.7
•	3.50	6.40	4	100



DUNE

OP

Sd/Sg fraction*



Contwoyto Lake Detailed Grids - Copper

Geochemistry of <0.063 mm Till Fraction* - AA analysis

AMWOOD





SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
7	10	20	16.1	
10	12	22	33.9	
12	14	21	50.8	
14	19	39	82.3	
19	20	4	85.5	
20	24	12	95.2	
24	29	4	98.4	
29	34	2	100	

SB-1

SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
6	10	13	19.4	
10	12	9	32.8	
12	14	8	44.8	
14	19	20	74.6	
19	20	3	79.1	
20	24	8	91	
24	29	5	98.5	
29	75	1	100	

P-1

SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
6	10	19	23.8	
10	12	23	52.5	
12	14	18	75	
14	19	10	87.5	
19	20	3	91.2	
20	24	4	96.2	
24	29	1	97.5	
29	57	2	100	



CTL

SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
5	10	6	12.2	
10	12	6	24.5	
12	14	13	51	
14	19	21	93.9	
19	20	0	93.9	
20	24	2	98	
24	29	1	100	
29	75	0	100	




DUNE

SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
5	10	43	45.3	
10	12	20	66.3	
12	14	10	76.8	
14	19	9	86.3	
19	20	2	88.4	
20	24	4	92.6	
24	29	2	94.7	
29	75	5	100	

SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
7	10	7	15.6	
10	12	12	42.2	
12	14	10	64.4	
14	19	15	97.8	
19	20	0	97.8	
20	24	0	97.8	
24	29	0	97.8	
29	75	1	100	

OP

SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
8	10	8	6.7	
10	12	13	17.5	
12	14	11	26.7	
14	19	42	61.7	
19	20	6	66.7	
20	24	17	80.8	
24	29	14	92.5	
29	75	9	100	



Sd/Sg fraction*



Contwoyto Lake Detailed Grids - Lead

Geochemistry of <0.063 mm Till Fraction* - AA analysis

AMWOOD




SIZE	RANGE (ppm)			OBS.	%TILE
	LOW	HIGH			
1	1	3		80	64.5
3	3	4		19	79.8
4	4	6		24	99.2
6	6	7		1	100

SB-1

SIZE	RANGE (ppm)			OBS.	%TILE
	LOW	HIGH			
1	1	3		61	91
3	3	4		5	98.5
4	4	6		1	100
6	6	7		0	100

P-1

SIZE	RANGE (ppm)			OBS.	%TILE
	LOW	HIGH			
1	1	3		63	78.8
3	3	4		13	95
4	4	6		4	100
6	6	7		0	100



CTL

SIZE	RANGE (ppm)			OBS.	%TILE
	LOW	HIGH			
1	1	3		35	71.4
3	3	4		13	98
4	4	6		1	100
6	6	7		0	100

DUNE




SIZE	RANGE (ppm)			OBS.	%TILE
	LOW	HIGH			
12	12	14		2	2.8
14	14	19		4	8.5
4	4	6		50	78.9
6	6	19		15	100

SIZE	RANGE (ppm)			OBS.	%TILE
	LOW	HIGH			
1	1	3		9	20
3	3	4		19	62.2
4	4	6		15	95.6
6	6	7		2	100

OP

SIZE	RANGE (ppm)			OBS.	%TILE
	LOW	HIGH			
1	1	3		38	31.7
3	3	4		51	74.2
4	4	6		29	98.3
6	6	7		2	100

Sd\Sg fraction*



Contwoyto Lake Detailed Grids - Thorium
Geochemistry of <0.063 mm Till Fraction* - NAA analysis

AMWOOD





SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	7.19	7.90	13	10.5
•	7.90	8.90	30	34.7
•	8.90	9.40	22	52.4
•	9.40	10.00	36	81.5
•	10.00	11.00	11	90.3
•	11.00	12.00	12	100
•	12.00	13.00	0	100

SB-1

SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	1.89	7.90	22	32.8
•	7.90	8.90	13	52.2
•	8.90	9.40	7	62.7
•	9.40	10.00	17	88.1
•	10.00	11.00	6	97
•	11.00	12.00	2	100
•	12.00	13.00	0	100

P-1

SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	6.09	7.90	8	10
•	7.90	8.90	21	36.2
•	8.90	9.40	13	52.5
•	9.40	10.00	26	85
•	10.00	11.00	6	92.5
•	11.00	12.00	4	97.5
•	12.00	14.00	2	100



CTL

SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	5.69	7.90	1	2
•	7.90	8.90	8	18.4
•	8.90	9.40	12	42.9
•	9.40	10.0	22	87.8
•	10.00	11.00	3	93.9
•	11.00	12.00	1	95.9
•	12.00	14.00	2	100




DUNE

SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	5.69	7.90	0	0
•	7.90	8.90	1	1.1
•	8.90	9.40	1	2.1
•	9.40	10.00	7	9.5
•	10.00	11.00	10	20
•	11.00	12.00	8	28.4
•	12.00	14.20	68	100




SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	5.60	7.90	0	0
•	7.90	8.90	5	11.1
•	8.90	9.40	2	15.6
•	9.40	10.00	9	35.6
•	10.00	11.00	15	68.9
•	11.00	12.00	11	93.3
•	12.00	13.00	3	100

OP

SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	6.90	7.90	4	3.3
•	7.90	8.90	30	28.3
•	8.90	9.40	23	47.5
•	9.40	10.0	44	84.2
•	10.0	11.0	12	94.2
•	11.0	12.0	3	96.7
•	12.0	13.0	4	100





Sd\Sg fraction*



Contwoyto Lake Detailed Grids - Uranium
Geochemistry of <0.063 mm Till Fraction* - NAA analysis


AMWOOD

SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	1.70	2.00	0	0
•	2.00	2.20	1	.8
•	2.20	2.50	22	18.5
•	2.50	2.60	11	27.4
•	2.60	2.71	17	41.1
•	2.71	2.80	14	52.4
•	2.80	3.00	27	74.2
•	3.00	3.71	32	100





SB-1

SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	0.40	2.00	13	19.4
•	2.00	2.20	8	31.3
•	2.20	2.50	18	58.2
•	2.50	2.60	7	68.7
•	2.60	2.71	7	79.1
•	2.71	2.80	3	83.6
•	2.80	3.00	4	89.6
•	3.00	3.41	7	100




P-1

SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	1.70	2.00	1	1.2
•	2.00	2.20	2	3.8
•	2.20	2.50	19	27.5
•	2.50	2.60	15	46.2
•	2.60	2.71	8	56.2
•	2.71	2.80	12	71.2
•	2.80	3.00	13	87.5
•	3.00	3.71	10	100



CTL



SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	1.70	2.00	0	0
•	2.00	2.20	0	0
•	2.20	2.50	10	20.4
•	2.50	2.60	9	38.8
•	2.60	2.71	10	59.2
•	2.71	2.80	7	73.5
•	2.80	3.00	8	89.8
•	3.00	5.60	5	100



DUNE

SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	1.70	2.00	0	0
•	2.00	2.20	0	0
•	2.20	2.50	0	0
•	2.50	2.60	0	0
•	2.60	2.71	0	0
•	2.71	2.80	2	2.1
•	2.80	3.00	7	9.5
•	3.00	19.00	86	100

Sd/Sg fraction*



OP

SIZE	RANGE (ppm)		OBS.	%TILE
	LOW	HIGH		
•	2.00	2.00	1	.8
•	2.00	2.20	3	3.3
•	2.20	2.50	27	25.8
•	2.50	2.60	12	35.8
•	2.60	2.71	18	50.8
•	2.71	2.80	11	60
•	2.80	3.00	28	83.3
•	3.00	5.6	20	100

